| (| P | a | g | e | S | : | 3) |
|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|----|

| Reg. N | 10 |). | : | ••• | ••• | ••• | ••• | ••• | ••• | | | •• | ••• | |
|--------|----|----|---|---------|-----|---------|-----|-----|-----|------|------|----|-----|--|
| Name | : | | | | | | | | | | | | | |

Third Semester M.Sc. Degree Examination, June 2022 Physics with Specialization in Nano Science/Space Physics PHSP 531/PHNS 531 : ADVANCED QUANTUM MECHANICS (2020 Admission)

Time: 3 Hours Max. Marks: 75

PART - A

Answer any five questions. Each question carries 3 marks.

- 1. Discuss Rayleigh-Ritz method.
- 2. Write the connection formula and explain why the WKB method is valid for system in which the potential is slowly varying.
- 3. Why the ground state of hydrogen atom will not show first order stark effect.
- 4. Prove that the total energy of the system is conserved if the system is invariant under translation in time.
- 5. Write the expression for scattering amplitude and discuss optical theorem.
- 6. Write an short note on spin vectors for spin half system.
- 7. Discuss the interpretation of Klein Gordon equation.
- 8. What are negative energy states and hole?

 $(5 \times 3 = 15 \text{ Marks})$

Answer all questions. Each question carries 15 marks.

9. Explain variational principle and discuss ground state energy of helium.

OR

- 10. Discuss time dependent perturbation theory and prove that the transition probability oscillates sinusoidal as a function of time.
- 11. Derive Hartree equation for an electron move in a spherical symmetric potential.

OR

- 12. Explain (a) Born approximation. (b) Scattering by a screened coulomb potential. (c) Validity of born approximation.
- 13. Discuss (a) Dirac equation for free particle and (b) Spin of Dirac particle.

OR

14. Explain (a) Addition of angular momenta and (b) Clebsh-Gordan coefficients.

 $(3 \times 15 = 45 \text{ Marks})$

PART - C

Answer any three of the following questions. Each question carries 5 marks.

- 15. Consider a perturbation of $H_1 = bx^4$ to the simple harmonic oscillator of Hamiltonian $H_0 = \frac{p_x^2}{2m} + \frac{mw^2x^2}{2}$. The potential is $V_x = bx^4 + \frac{mw^2x^2}{2}$. Calculate the first order shift in energy.
- 16. The potential of a particle confined to a positive x axis is mgx. The wave function tends to zero as x tends to zero and infinity. Use the trial wave function $x e^{-ax}$ and obtain the best value of parameter a.
- 17. Derive scattering amplitude in terms of differential scattering cross section.

- 18. What is time reversed wane function and prove that the Schrodinger equation satisfied by the time reversed function has also the same form as the original one.
- 19. A particle is in an eigen state of J_z . Prove that $\langle J_x \rangle = \langle J_y \rangle = 0$. Also find the values of $\langle J_x^2 \rangle$ and $\langle J_y^2 \rangle$.
- 20. Derive the covariant form of Dirac equation.

 $(3 \times 5 = 15 \text{ Marks})$