Reg.	No	).	:	••	•	٠.	•	 •	٠.	•	••	•			•	• •	 •	•	•	• •	••	
Name	:	•••	• •	• • •		• •							_									

# Fifth Semester B.Sc. Degree Examination, December 2022 First Degree Programme under CBCSS

# **Physics**

### **Core Course**

**PY 1543: ELECTRONICS** 

(2018 Admission onwards)

Time: 3 Hours

Max. Marks: 80

#### PART - A

Answer all questions in one or two sentence; each question carries 1 mark.

- State Norton's theorem.
- 2. What do you mean by depletion layer?
- 3. What do you mean by peak inverse voltage?
- 4. Define current amplification factor  $\alpha$ .
- 5. What do you meant by quiescent point?
- 6. What do you meant by multistage amplifier?
- 7. Explain Barkhausen criterion for oscillations.
- 8. Define the term modulation.
- 9. What is an operational amplifier?
- 10. What are the difference between BJT and FET?

 $(10 \times 1 = 10 \text{ Marks})$ 

#### PART - B

Answer any eight questions, not exceeding a paragraph; each question carries 2 marks.

- 11. Explain maximum power transfer theorem.
- 12. What is load line in transistor biasing? What is its significance?
- 13. How zener diode maintains constant voltage across the load?
- 14. Explain how transistor works as an amplifier.
- 15. What is stability factor of fixed bias transistor? Explain the significance of stability factor.
- 16. Show that  $\gamma = \frac{1}{1-\alpha}$ .
- 17. Explain the circuit operation of a push pull amplifier.
- 18. What are the advantages of negative feedback amplifier?
- 19. Why modulation is necessary in communication?
- 20. What are the advantages and disadvantages of frequency modulation?
- 21. Describe the working principle of a MOSFET.
- 22. Discuss the operation of a summing amplifiers.
- 23. What is the role of coupling capacitors in an amplifier circuit?
- 24. Why dual power supply is used in Op-Amp?
- 25. What is the difference between open loop gain and (Av) and closed loop gain (Avf)?
- 26. Draw the frequency spectrum of FM wave.


 $(8 \times 2 = 16 \text{ Marks})$ 

## PART - C


Answer any six, each questions carries 4 marks.

- 27. A crystal diode having internal resistance  $r_f = 20\Omega$  is used for half wave rectification. If the input voltage  $v = \sin \omega$  t and load resistance  $RL = 800\Omega$ . Find
  - (a) Im, Idc, Irms
  - (b) ac power input and dc power output
  - (c) dc output voltage.
- 28. A half wave rectifier uses two diodes, the internal resistance of each may be assumed constant at  $20\,\Omega$ . The transformer r.m.s secondary voltage from center tap to each end of secondary is 50V and load resistance is 980  $\Omega$  Find
  - (a) the mean load current
  - (b) the r.m.s value of load current.
- 29. A Germanium transistor is to be operated at zero signal  $I_c = 1mA$ . If the collector supply Vcc = 12 V, what is the value of R<sub>B</sub> in the base resistor method. Given  $\beta = 100$ .
- 30. The overall gain of a multistage amplifier is 140. When negative voltage feedback is applied, the gain is reduced to 17.5. Find the fraction of the output that is fed back to the input.
- 31. In a phase shift oscillator  $R_1=R_2=R_3=1M\Omega$  and  $C_1=C_2=C_3=68\,pF$ . At what frequency does the circuit oscillate?
- 32. The maximum peak to peak voltage of an AM wave is 16 mV and the minimum peak to peak voltage is 4 mV. Calculate the modulation factor.
- 33. A carrier wave of 500 watts is subjected to 100% amplitude modulation. Determine the power in side bands and the power of modulated wave.
- 34. A JFET has a drain current of 5mA. If  $I_{DSS} = 10 \, mA$  and  $V_{GS(off)} = -6 \, V$ . Find the value of  $V_{GS}$  and  $V_{P}$ .

35. Calculate the output voltage from the noninverting amplifier circuit shown in the following figure for an input of 120  $\mu V$ .



36. If  $\beta$  of the transistor circuit in figure is 50, find the value of Ic using both  $\alpha$  and  $\beta$ .



- The first stage voltage gain of a two stage amplifier is 100 and its second voltage 37. gain is 160. Find the total gain in dB.
- An amplifier has a voltage gain of 50. To reduce the distortion present in it, 10% negative feedback is employed. Calculate voltage gain with feedback.

 $(6 \times 4 = 24 \text{ Marks})$ 

# PART - D

Answer any two questions; each questions carries 15 marks.

- 39. Explain with circuit diagram, the action of a full wave rectifier using centre tap transformer. Derive an expression for rectification efficiency and ripple factor.
- 40. What are filter circuits? Explain the working of a capacitor filter and inductor filer?
- 41. What is the need of transistor biasing? Discuss the potential divider bias method for transistor biasing.
- 42. Discuss the characteristics of CB and CE transistor configurations with neat
- 43. With circuit diagram explain the working of Hartley and Colpitt's oscillators.
- 44. With necessary diagrams, explain how OP-Amp works as an inverting and

 $(2 \times 15 = 30 \text{ Marks})$